Interperse senh

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("detect\$3.clm.andmalware.clm. andmonitoring.clm. and"fileaccess".clm.andscanning. clm.and"writeoperation".clm. and"timeinterval".clm.").PN.	USPAT	OR	OFF	2006/02/15 15:44
L2	0	monitoring.clm. and "file access". clm. and malware.clm. and detect\$3.clm. and intercept\$3.clm. and scan\$4.clm. and write.clm. and application.clm. and "time interval".clm.	USPAT	OR	OFF	2006/02/15 15:46

upbeted Seech

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("detect\$3.clm.andmalware.clm. andmonitoring.clm. and"fileaccess".clm.andscanning. clm.and"writeoperation".clm. and"timeinterval".clm.").PN.	USPAT	OR	OFF	2006/02/15 15:44
L2	0	monitoring.clm. and "file access". clm. and malware.clm. and detect\$3.clm. and intercept\$3.clm. and scan\$4.clm. and write.clm. and application.clm. and "time interval".clm.	USPAT	OR	OFF	2006/02/15 15:46
L3	1	monitor\$4 and "file access" and malware and detect\$3 and intercept\$3 and scan\$4 and write and application and "time interval"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:48
L4	11	monitor\$4 and "file access" and malware and detect\$3 and intercept\$3 and scan\$4 and write and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:48
L5	14	monitor\$4 and "file access" and malware and detect\$3 and intercept\$3 and scan\$4 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:48
L6	8	726/22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:48
L7	7260	726/24 or 713/188 or 714/38 or 726/1 or 705/51 or 713/189 or 713/190 or 713/191 or 713/192 or 713/193 or 713/194 or 717/174 or 713/150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:51
L8	6231	7 and "15"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 15:51

Results (page 1): monitor\$4 and "file access" and malware and detect\$3 and intercept\$3 a... Page 1 of 6



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: © The ACM Digital Library C The Guide

monitor\$4 and "file access" and malware and detect\$3 and inti



į	k	
į	Š	
į		
Š		
į	į	
į	ŝ	
i	8	
į	ŝ	
١	į	
į	i	
ŝ	Ř	
ŀ	Ì	
Š	Š	
8	8	
į	8	
į		
ì	į	
į		
į	ŝ	
þ	Š	
į	į	
į	ă	
į	Š	
į	k	
Ċ		
ŧ	į	
	į	
Š	8	
į	į	
b	Š	
į		
ì	į	
į	š	
ġ	Š	
١	Š	
ě	i	
į	į	
Š	8	
į	i	
į	į	
į	i	
į	Š	
į	Š	
į	ì	
į	ì	
i		
ì		
ĕ	Š	
Š	Š	
ă	8	
ă	Š	
ı		
ķ	Š	
į	Š	
į		
i	ì	
ð	Š	
ŧ	Š	
Š		
į		
Š	į	
å	į	
į	Ĭ	
å	Š	
Š	ě	
8	Š	
i	į	
i		
į	Ä	
Ì	ĕ	
Š	į	
l	ŀ	
l		
į		
ì	8	
ĺ	Š	
l		
į	Š	
Ĭ	Š	
Š	8	
Š	Š	
Š	Š	
Š	Š	
8	8	
8	8	
į	į	
Š	Š	
Š	Š	
ŝ	Š	
8	Š	
8	Š	
Š	Š	
Š	Š	
Š	Š	
Ĭ	ì	
١	ì	
į	Ì	
ì	Ì	
١	Ì	
	ŝ	
Š	ŝ	
Š	١	
i		

Feedback Report a problem Satisfaction survey

Found Terms used monitor\$4 and file access and malware and detect\$3 and intercept\$3 and scan\$4 and write and application and time **1,537** of 171,143 interval Try an Advanced Search Sort results Save results to a Binder relevance by Try this search in The ACM Guide Search Tips Display expanded form Open results in a new results

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 next

window

Best 200 shown Relevance scale 🗆 🖬 🖬 🔳

A file system for continuous media

David P. Anderson, Yoshitomo Osawa, Ramesh Govindan

November 1992 **ACM Transactions on Computer Systems (TOCS)**, Volume 10 Issue 4 **Publisher:** ACM Press

Full text available: pdf(1.56 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

The Continuous Media File System, CMFS, supports real-time storage and retrieval of continuous media data (digital audio and video) on disk. CMFS clients read or write files in "sessions," each with a guaranteed minimum data rate. Multiple sessions, perhaps with different rates, and non-real-time access can proceed concurrently. CMFS addresses several interrelated design issues; real-time semantics fo sessions, disk layout, an acceptance test for new sessions, and disk schedulin ...

Keywords: disk scheduling, multimedia

2	ENWRICH: a compute-processor write caching scheme for parallel file systems  Apratim Purakayastha, Carla Schlatter Ellis, David Kotz  May 1996 Proceedings of the fourth workshop on I/O in parallel and distributed systems: part of the federated computing research conference  Publisher: ACM Press	
	Full text available: pdf(1.38 MB) Additional Information: full citation, references, citings, index terms	
3	Input/output access pattern classification using hidden Markov models Tara M. Madhyastha, Daniel A. Reed November 1997 Proceedings of the fifth workshop on I/O in parallel and distributed systems Publisher: ACM Press Full text available: pdf(1.46 MB) Additional Information: full citation, references, citings, index terms	

Application-controlled physical memory using external page-cache management

<b>\Phi</b>	Kieran Harty, David R. Cheriton September 1992 ACM SIGPLAN Notices, Proceedings of the fifth international conference on Architectural support for programming languages and operating systems ASPLOS-V, Volume 27 Issue 9  Publisher: ACM Press Full text available: pdf(1.40 MB) Additional Information: full citation, references, citings, index terms
	Tuil text available. (a) point in a line in a
	Analysis of file I/O traces in commercial computing environments  K. K. Ramakrishnan, Prabuddha Biswas, Ramakrishna Karedla  June 1992 ACM SIGMETRICS Performance Evaluation Review, Proceedings of the  1992 ACM SIGMETRICS joint international conference on Measurement and modeling of computer systems SIGMETRICS '92/PERFORMANCE '92,  Volume 20 Issue 1  Publisher: ACM Press
	Full text available: pdf(1.44 MB)  Additional Information: full citation, abstract, references, citings, index terms
	Improving the performance of the file system is becoming increasingly important to alleviate the effect of I/O bottlenecks in computer systems. To design changes to an existing file system or to architect a new file system it is important to understand current usage patterns. In this paper we analyze file I/O traces of several existing production computer systems to understand file access behavior. Our analysis suggests that a relatively small percentage of the files are active. T
	Making operating systems more robust: Backtracking intrusions
•	Samuel T. King, Peter M. Chen October 2003 Proceedings of the nineteenth ACM symposium on Operating systems principles
	Publisher: ACM Press  Full text available: pdf(185.10 KB)  Additional Information: full citation, abstract, references, citings, index
	<u>ieims</u>
	Analyzing intrusions today is an arduous, largely manual task because system administrators lack the information and tools needed to understand easily the sequence of steps that occurred in an attack. The goal of BackTracker is to identify automatically potential sequences of steps that occurred in an intrusion. Starting with a single detection point (e.g., a suspicious file), BackTracker identifies files and processes that could have affected that detection point and displays chains of events i
	Keywords: computer forensics, information flow, intrusion analysis
7	

Client-server computing in mobile environments Jin Jing, Abdelsalam Sumi Helal, Ahmed Elmagarmid June 1999 ACM Computing Surveys (CSUR), Volume 31 Issue 2

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(233.31 KB) terms, review

Recent advances in wireless data networking and portable information appliances have engendered a new paradigm of computing, called mobile computing, in which users carrying portable devices have access to data and information services regardless of their physical location or movement behavior. In the meantime, research addressing information access in mobile environments has proliferated. In this survey, we provide a concrete framework and categorization of the various way ...

Results (page 1): monitor\$4 and "file access" and malware and detect\$3 and intercept\$3 a... Page 3 of 6

Keywords: application adaptation, cache invalidation, caching, client/server, data dissemination, disconnected operation, mobile applications, mobile client/server, mobile compuing, mobile data, mobility awareness, survey, system application

0	profit and the second control of the second of the second or and t						
0	File servers for network-based distributed systems Liba Svobodova  December 1984 ACM Computing Surveys (CSUR) Value 16 January						
	December 1984 ACM Computing Surveys (CSUR), Volume 16 Issue 4						
	Publisher: ACM Press						
	Full text available: pdf(4.23 MB)  Additional Information: full citation, references, citings, index terms, review						
	INTOME.						
9	Fast detection of communication patterns in distributed executions Thomas Kunz, Michiel F. H. Seuren						
	November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research						
	Publisher: IBM Press Full text available: pdf(4.21 MB) Additional Information: full citation, abstract, references, index terms						
	Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun						
10	Backtracking intrusions Samuel T. King, Peter M. Chen February 2005 ACM Transactions on Computer Systems (TOCS), Volume 23 Issue 1						
	Publisher: ACM Press						
	Full text available: pdf(647.38 KB) Additional Information: full citation, abstract, references, index terms						
	Analyzing intrusions today is an arduous, largely manual task because system administrators lack the information and tools needed to understand easily the sequence of steps that occurred in an attack. The goal of BackTracker is to identify automatically potential sequences of steps that occurred in an intrusion. Starting with a single detection point (e.g., a suspicious file), BackTracker identifies files and processes that could have affected that detection point and displays chains of events i						
	Keywords: Computer forensics, information flow, intrusion analysis						
11	The integration of virtual memory management and interprocess communication in Accent Robert Fitzgerald, Richard F. Rashid						
	May 1986 ACM Transactions on Computer Systems (TOCS), Volume 4 Issue 2						
	Publisher: ACM Press  Additional Information: full citation, abstract, references, citings, index						
	Full text available: pdf(2.45 MB)  Additional information, into citation, abstract, references, chings, index terms						
	The integration of virtual memory management and interprocess communication in the Accent network operating system kernel is examined. The design and implementation of the Accent memory management system is discussed and its performance, both on a						

series of message-oriented benchmarks and in normal operation, is analyzed in detail.

	CS Performance Evalu	nation Review , Proceedings of the name of	
	ms SIGMETRICS '91,		
Full text available: pdf(940.09	KB) Additional Information	full citation, abstract, references, citings, index terms	
production file systems to improve I/O performance asynchronously, which p	to utilize the declustering the CFS also makes to the CFS also makes to the conjude file caching and compute node that initiations.	PSC/2 hypercube is one of the first g of large files across numbers of disks to use of dedicated I/O nodes, operating prefetching. Processing of I/O requests is ates the request and the I/O nodes that esign decision	ŀ
A study of integrated pre	fetching and caching s	strategies	
1995 ACM SIGN	CS Performance Evalu IETRICS joint interna	nation Review , Proceedings of the tional conference on Measurement IGMETRICS '95/PERFORMANCE '95,	
Full text available: pdf(1.25 M	<u>日</u> ) Additional Information	full citation, abstract, references, citings, index terms	
systems, but they have four properties that opti- and then presents and s	not been studied in an i mal integrated strategie tudies two such integral that the performance of	for improving the performance of file ntegrated fashion. This paper proposes is for prefetching and caching must satisfyed strategies, called aggressive and the conservative approach is within a	/,
<u>heart slice server</u> J. Tárraga, V. Messerli, O. F	igueiredo, B. Gennart, I		
(Part 1)	of the seventh ACM ii	nternational conference on Multimedi	а
Publisher: ACM Press Full text available: pdi(1.62 M	B) Additional Information	full citation, abstract, references, index terms	
to develop. A server app spaces as well as files st present contribution des	lication comprises many riped over multiple disk cribes the construction r, based on a computer	ontinuous media applications are difficult threads located in different address located on different computers. The of a continuous media server, the 4D raided parallelization tool (CAP) and on a ng the	
		aided parallelization, disk scheduling, a server, resource reservation	
M. Voelker, Stefan Savage	ay Chen, David Moore,	mkin virtual honeyfarm Erik Vandekieft, Alex C. Snoeren, Geoffre eview , Proceedings of the twentieth	•

Results (page 1): monitor\$4 and "file access" and malware and detect\$3 and intercept\$3 a... Page 4 of 6

<b>ACM</b> symposium	on Operating	systems	principles SOSP	<b>'05</b> ,	Volume 39 Issue
_					

**Publisher: ACM Press** 

**Publisher: ACM Press** 

Full text available: pdf(506.39 KB) Additional Information: full citation, abstract, references, index terms

The rapid evolution of large-scale worms, viruses and bot-nets have made Internet malware a pressing concern. Such infections are at the root of modern scourges including DDoS extortion, on-line identity theft, SPAM, phishing, and piracy. However, the most widely used tools for gathering intelligence on new malware -- network honeypots -- have forced investigators to choose between monitoring activity at a large scale or capturing behavior with high fidelity. In this paper, we describe an approa ...

Keywords: copy-on-write, honeyfarm, honeypot, malware, virtual machine monitor

16	A multimedia client to the IBM LAN server  Mark Baugher, Steven French, Alan Stephens, Isabel Van Horn September 1993 Proceedings of the first ACM international conference on Multimedia  Publisher: ACM Press Full text available: pdf(171.28 KB) ps(243.48 KB)  Additional Information: full citation, references, index terms	
	Formal Models for Computer Security Carl E. Landwehr September 1981 ACM Computing Surveys (CSUR), Volume 13 Issue 3 Publisher: ACM Press Full text available: pdf(2.98 MB) Additional Information: full citation, references, citings, index terms	
18	Query evaluation techniques for large databases Goetz Graefe June 1993 ACM Computing Surveys (CSUR), Volume 25 Issue 2 Publisher: ACM Press Full text available: pdf(9.37 MB)  Additional Information: full citation, abstract, references, citings, index terms, review  Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible	
	database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi  Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality	
	Disconnected operation in the Coda File System  James J. Kistler, M. Satyanarayanan  February 1992 ACM Transactions on Computer Systems (TOCS), Volume 10 Issue 1	

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(1.59 MS)

Disconnected operation is a mode of operation that enables a client to continue accessing critical data during temporary failures of a shared data repository. An important, though not exclusive, application of disconnected operation is in supporting portable computers. In this paper, we show that disconnected operation is feasible, efficient and usable by describing its design and implementation in the Coda File System. The central idea behind our work is that cachi ...

Keywords: disconnected operation, hoarding, optimistic replication, reintegration, second-class replication, server emulation

20	Industrial sessions: beyond relational tables: Coordinating backup/recovery and data
۱	consistency between database and file systems
·. <b>·</b>	Suparna Bhattacharya, C. Mohan, Karen W. Brannon, Inderpal Narang, Hui-I Hsiao,
	Mahadevan Subramanian
	June 2002 Proceedings of the 2002 ACM SIGMOD international conference on
	Management of data SIGMOD '02
	Publisher: ACM Press
	Full text available: pdf(1.44 MB) Additional Information: full citation, abstract, references, index terms
	Managing a combined store consisting of database data and file data in a robust and consistent manner is a challenge for database systems and content management
	systems. In such a hybrid system, images, videos, engineering drawings, etc. are stored
	as files on a file server while meta-data referencing/indexing such files is created and
	stored in a relational database to take advantage of efficient search. In this paper we

Keywords: DB2, content management, database backup, database recovery, datalinks

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 next

describe solutions for two potentially problematic aspects of such a data ...

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player